



Benefits

- Better value alternative to a receiver and remote control
- Ability to control the driver with Amazon Alexa and Google Home
- Easy to use – just plug and play
- High efficiency
- Promotes inconspicuous installation

Key Features

- Slim 16mm depth
- Integrated distribution ports
- 2m mains cable included
- Short circuit & overload protection
- Surge and thermal protection
- Kinetic compatible

Product Overview

Accompanying the existing range of Titan Smart Drivers, the new RGB CCT version has been added to the range to enable smart control for any RGB CCT products.

Simply combine the Smart Driver with the Link-Sensio App to access a multitude of clever features such as dimming, colour changing and lighting schedules, or, if you want to truly unlock the full smart potential, combine with an Amazon Alexa or Google Home for voice-controlled lighting.

The Smart Driver also features all of the classic Titan attributes such as a low-profile body, integrated ports and protection from short-circuiting, overloading and electrical surge.

Technical Specification

Drivers	30W
Rated Input Voltage (Vac)	220-240
Input Voltage Range (Vac)	198-264
Frequency (Hz)	50/60 ± 3%
Output Voltage (V)	24 ± 5%
Output Current (A)	1.25
Short Circuit Protection	Yes
Overload Protection	Yes
Thermal Protection	Yes
Surge Protection	Yes
Operating Temperature	-20°C to +40°C
Humidity	10% to 90%RH
Mains Cable Length (M)	2
Number of Ports	4

Order Codes

Description	Order Code	Barcode
Titan - Smart Driver - 30W - RGBCCT	SE405595	5060522087236

Mechanical Specification

Description	Dimensions (mm)	Weight (g)	IP Rating
Titan - Smart Driver - 30W - RGBCCT	L188 x W56 x D16.5	279	IP20